## I claim:

- A tree-top mounting device, comprising:
  a housing;
- an elongated support slidably received within said housing;
- a fitting head disposed at a distal end of said elongated support; and
  - a fastener adapted to secure said housing to a tree.
- 2. A device according to claim 1, further comprising a lock to secure said sliding rod in said housing at a desired position.
- 3. A device according to claim 1, wherein said fitting head includes a bayonet coupling for attachment to an ornament.
- 4. A device according to claim 1, wherein said fitting head comprises a disc and a cylindrical connector, with said disc and said cylindrical connector adaptable to receive an ornament.
- 5. A device according to claim 1, wherein said fastener includes a hook and loop fastener secured to said housing.

6. A tree-top mounting device, comprising:

a mount including a housing and a sliding rod slidable within said housing, said sliding rod having a distal end adapted to receive an ornament; and

a fastener adapted to attach said housing to a tree.

- 7. A tree-top mount device according to claim 6, further comprising a fitting head disposed at the distal end of said sliding rod.
- 8. A tree-top mount device according to claim 6, further comprising a locking mechanism for locking said sliding rod in said housing.
  - 9. A tree-top mounting device comprising:

telescoping means comprising a first member slidably received in a second member; and

means for connecting said first member to an object.

- 10. A mounting device according to claim 9, wherein said means for connecting is a bayonet coupling.
- 11. A mounting device according to claim 9, further comprising means for locking said first member and said second member together.

12. A mounting device according to claim 9, further comprising means for fastening said second member to a tree.